

## Netilmicin Injection

| Netilmicin Injection   |  |                     |                    |
|--|--|---------------------|--------------------|
| Strength   | Composition  | Therapeutic Segment | Class              |
| 100 mg   | Netilmicin Sulphate BP Eq. to netilmicin<br>100 mg | Antibiotic          | Aminoglycosid<br>e |
| <p><b>Indications:</b> Biliary tract infections, Bone and joint infections, Central nervous system infections, Intra-abdominal infections<br/>Pneumonia, gram-negative, Septicemia, bacterial, SSTI, UTI</p>   |  |                     |                    |
| <p><b>Side-effects:</b> Neurotoxicity-Ototoxicity- Toxic effects on the eighth cranial nerve, Neuromuscular Blockage, Nephrotoxicity<br/>Acute muscular paralysis. Hearing loss, loss of balance, or both</p>  |  |                     |                    |
| <p><b>Precautions:</b> Renal Impairment, vertigo, tinnitus, discontinue if oto or neuro toxicity or hypersensitivity lactation<br/>Elderly, premature neonates, infants, dehydration, myasthenia, botulism- conditions predisposing to oto, nephrotoxicity</p> |  |                     |                    |
| <p><b>Contra-indications:</b> Hypersensitivity to netilmicin or other aminoglycosides</p>  |  |                     |                    |